

Novel-Tee

and pieced block pieced and appliquéd units

each month make blocks for your own Surf's Up sampler
Novel-Tee block. Following the picture tutorial will simplify

<http://www.surfsidequiltersguild/home/block-a-month>

fabric using heart

your choice

2" x 4"

2" x 5"

1 1/2" x 3 1/2"

3" x 6"

2" x 10"

2, Pellon, etc.): Cut L using template L.

the diagram below when sewing pieces together.

inner and cut out neckline on piece A.

Trace Template L onto fusible web (Steam-A-Seam Lite or Pelon, etc.)
Cut out template. Make a paper template of K.

Applique J to the center front of A. (optional)



towards B. Buttonhole stitch edge of sleeve if desired.

Press towards the B/E unit.

towards A. Buttonhole stitch edge if desired.

to the A/D unit. Press towards A/D.


to the center of the shirt




J
or applique
of your choice

VALUE PACK
Paquet Avantageux
Valore Paquete

LITE
LITE
LITE
LITE



2




3



K

A

**Pin Template K to center front of A.
Cut out for shirt neckline.**



Using template L which is cut from fusible web, iron it to wrong side of shirt neckline. This is to stabilize the curve. Remove paper.

Place right side of C to wrong side of A
centering both pieces. Press and it will
fuse to strip L.

C
(wrong side)

A
(wrong side)





6

A

C

Hand or machine buttonhole stitch the edge of A if desired.





C

Excess C

Trim away excess of C.



Fuse on applique of your choice.

Applique ideas: designs found on fabric, photos transferred to fabric, center piece A on design of fabric, etc.




Jan took a picture of the new guild pin, ran the picture onto an inkjet fabric sheet with her computer, then ironed fusible web onto the back of the pin picture and ironed it onto the front of her shirt.



After fusing applique to shirt, stitch around it.
Jan used the buttonhole stitch with clear thread.

11




B

E

B

E

Stitch B to E. Press towards B



Buttonhole stitch the edge of sleeve if desired.

13

B/E unit

B/E unit

Sew F to B/E unit.



14

A

D

Sew D to A. Press towards A.

Buttonhole stitch the edge if desired.

15

A/D


B/E/F

Sew the B/E/F unit to the A/D unit.
Press towards the A/D unit.



G

Sew G to the top of the shirt and press towards the shirt. Press block carefully using steam, starch or Best Press.



Square up block to 9 1/2".

Note: extra fabric was allowed on pieces to make squaring up more accurate. Try to center the shirt in the square.

THE SQUARE UP



Your shirt is finished!

This is another version of the shirt not using any applique on the front.

